

17502



21415

3 Hours/100 Marks

Seat No.

--	--	--	--	--	--	--	--	--	--

- Instructions :**
- (1) **All questions are compulsory.**
  - (2) Answer **each next** main question on a **new page.**
  - (3) Illustrate your answers with **neat sketches wherever necessary.**
  - (4) Figures to the **right** indicate **full** marks.
  - (5) Assume **suitable** data, if **necessary.**
  - (6) **Use of Non-programmable Electronic Pocket Calculator is permissible.**
  - (7) **Mobile Phone, Pager and any other Electronic Communication devices are not permissible in Examination Hall.**
  - (8) **Use of Steam tables, logarithmic, Mollier's chart is permitted.**

MARKS

1. A) Attempt **any three** :**(3×4=12)**

- a) State any four advantages and four ill effects of irrigation.
- b) Explain with neat label sketch Symon's rain gauge.
- c) Calculate the maximum flood discharge for a catchment area 1500 km<sup>2</sup> using Dicken's formula. Assume Dicken's coefficient as 28.
- d) State the meaning of :
  - i) GCA
  - ii) Delta
  - iii) Duty
  - iv) Crop period.

B) Attempt **any one** :**(1×6=6)**

- a) A tank has a catchment area of 120 km<sup>2</sup> out of which 20 km<sup>2</sup> is independent. The average annual rainfall of the catchment is 80 cm. The runoff of average bad year is 20% of the rainfall for an average bad year. The runoff from the intercepted catchment available for this tank is 20% of actual runoff. Calculate the assured yield.

P.T.O.

17502

-2-



MARKS

b) Fix the FRL, FFL and HFL from the following data :

- 1) DSL = 110.00 m
- 2) Effective losses = 8000 m<sup>3</sup>
- 3) Tank losses = 1500 m<sup>3</sup>
- 4) Maximum flood discharge = 400 m<sup>3</sup>/sec
- 5) Length of waste weir = 100 m
- 6) Francis formula  $Q = 1.8 LH^{3/2}$
- 7) Free Board = 1.5 m.

<b>Contour RL →</b>	110	112	114	116	118	120
<b>Capacity in m<sup>3</sup></b>	1000	3000	5000	6000	9000	12000

2. Attempt **any four** :

(4×4=16)

- a) State the various cropping pattern seasons and crops in Maharashtra.
- b) Enlist any eight criteria for selection of site for a dam.
- c) Differentiate between earthen and gravity dam with respect to foundation, seepage, construction and maintenance.
- d) Write the functions of following components of earthen dam.
  - i) Turfing
  - ii) Berms
  - iii) Heating
  - iv) Rock toe.
- e) Draw a neat sketch of cross section of zoned type earthen dam and show all components of it.
- f) Differentiate between elementary profile and practical profile of gravity dam.

3. Attempt **any four** :

(4×4=16)

- a) State and explain the different conditions of stability of a gravity dam.
- b) State importance of spillway in earthen dam and explain construction and working of ogee spillway with sketch.
- c) Draw a labeled sketch of vertical sliding gate. State where it is suitable ?
- d) State advantages and disadvantages of Bandhara irrigation scheme.
- e) State the main features of lift irrigation scheme.

**MARKS****(3×4=12)**4. A) Attempt **any three** :

- a) Describe construction of percolation tank.
- b) Compare between drip irrigation and sprinkler irrigation on any four points.
- c) Write any eight component parts of diversion headwork.
- d) State different types of weir. Draw labeled sketch of any one type of weir.

B) Attempt **any one** :**(1×6=6)**

- a) State the needs of sprinkler irrigation scheme. Draw layout of sprinkler irrigation scheme and show various components of it.
- b) Calculate the balancing depth for a section of a canal having the following data :  
b = 10 m, FSD = 1.5, Bank width = 2 m, Side slope 1 : 1 in cutting, 1.5 : 1 in filling free board 0.5 m.

5. Attempt **any two** :**(2×8=16)**

- a) Following table gives the necessary data about the crops, their duty and the area under each crop commanded by a canal taking off from storage reservoir. Find the reservoir capacity if the canal losses are 20% and reservoir losses are 12%.

<b>Crop</b>	<b>Base period (days)</b>	<b>Area under the crop (Ha)</b>	<b>Duty at the field (Ha/cumec)</b>
Wheat	120	4800	1800
Sugar cane	360	5600	800
Cotton	200	2400	1400
Vegetables	120	1400	700
Rice	120	3000	800

- b) Explain the type of failure in earthen dam and its remedial measures.
- c) Suggest the suitable type of CD work and draw sketch of it under each of the following situations.
  - i) Canal bed level and Nala bed level are same.
  - ii) Canal bed level is above HFL of Nala.
  - iii) Nala bed level is above FSL of Canal.
  - iv) HFL of Nala is between FSL of Canal and bed level of Canal.

17502

-4-

**MARKS****(4×4=16)**6. Attempt **any four** :

- a) Differentiate between weir and barrage w.r.t. :
    - i) Cost
    - ii) Silting
    - iii) Flood control
    - iv) Area of submergence.
  - b) State four types of weir. Draw a sketch of any one and describe its purpose.
  - c) Draw the cross section of canal in partial cutting and partial embankment.
  - d) What do you mean by canal lining ? State two purposes, advantages, disadvantages of canal lining.
  - e) Differentiate between head regulator and cross regulator on any four points.
-